



We make more than switches.
We make your moments.



enConnect
— POWERED BY LAURITZ KNUDSEN —

enConnect - Smart Home Automation
from Lauritz Knudsen #MadeForMoments



ENCONNECT WIFI SWITCHES

COMING SOON

Description	Std Pack	Mountain Grey	Sparkle Black	Black glass
		Cat No	Cat No	Cat No
Wi-fi Switch 4 Channel	1	CB94602SM04	CB94602SB04	CB94602SL04
Wi-fi Switch 2 Channel	1	CB94602SM02	CB94602SB02	CB94602SL02
Wi-fi Switch 20A for Power Load	1	CB94602SM20	CB94602SB20	CB94602SL20
Wi-fi Fan Regulator 5 Step	1	CB94602FM00	CB94602FB00	CB94602FL00
Wi-fi Light Dimmer 5 Step	1	CB94602DM00	CB94602DB00	CB94602DL00
Wi-fi Curtain Controller	1	CB94602CM00	CB94602CB00	CB94602CL00
Wi-fi Scene Controller	1	CB94602SM00	CB94602SB00	CB94602SL00

Key Features – what sets enConnect apart



Smart Lighting
Adjust brightness with a tap or voice command



Data and Cybersecurity
Operate in secure systems, PEN test to ensure compliance with DPDP ACT 2023



Energy Management
Track and optimize energy usage



Touch, App and Voice Control
Works with Mobile App, Alexa, Google Assistant, and feather touch



Integration with Allied Products
seamlessly integrates with Smart locks, cameras, and sensors of other manufacturers





Easy Installation
No need to change existing wires/ mounting boxes, Retrofit solutions, No gateway required

- Conforms to IEC 60669 Part 1 & 2
- Light dimmer suitable for phase cut LED dimmable driver
- Fan regulator not suitable for BLDC fans with remote
- All enConnect switches are suitable with englaze plates
- For more details, please refer technical catalogue



We make more than switches.
We make your moments.



englaze

—POWERED BY LAURITZ KNUDSEN—

englaze - Luxurious and innovative switches
from Lauritz Knudsen #MadeForMoments



ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.



FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



SMART CONNECTORS

Don't go searching for adapters now, plug in everything directly with smart connectors. HDMI, VGA, RCA, USB for data & charging and just about everything you need.



REAL MATERIAL PLATES

Real Material Plates are meticulously crafted from authentic, high-quality materials such as genuine wood, metal alloys and premium glass. Choose from various finishes, textures, and colours to create a truly personalized statement.



BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



TESTED FOR INTERNATIONAL STANDARD

Your safety is our top priority. englaze products undergo rigorous testing to meet safety standards, ensuring your peace of mind while using them in your home or workspace.



SOFT FEEL SWITCHES

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches.



QUICK CHARGING

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer.



TOUCH THE FUTURE

No need to get out of the middle of the great conversations to turn the devices on/off. Now control your devices with IR remote control and feather Touch interface with a luxurious experience.



FLAT DESIGN FAN REGULATOR

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range.

SOFT FEEL SWITCHES - 1 MODULE WITH 


NEW



Description	Std Pack	Snow White	Mountain Grey	Sparkle Black
		Cat No	Cat No	Cat No
Switch 10AX 1-way 1M	20	CB92601SW10	CB92601SM10	CB92601SB10
Switch 10AX 1-way with Indicator 1M	20	CB92801SW10	CB92801SM10	CB92801SB10
Switch 10AX 2-way 1M	20	CB92701SW10	CB92701SM10	CB92701SB10
Switch 16AX 1-way 1M	20	CB92601SW16	CB92601SM16	CB92601SB16
Switch 16AX 1-way with Indicator 1M	20	CB92801SW16	CB92801SM16	CB92801SB16
Switch 16AX 2-way 1M	20	CB92701SW16	CB92701SM16	CB92701SB16
Switch 25A 1-way 1M	20	CB92601SW25	CB92601SM25	CB92601SB25
Switch 25A 1-way with Indicator 1M	20	CB92801SW25	CB92801SM25	CB92801SB25

KEY FEATURES

- Designed For Silent Operation
- Soft Feel Switches
- Flat Aesthetic
- Robust Design For Longer Life
- Double rocker system for smooth operations
- 4 part design to reduce switching sound
- Heavy Duty Terminals
- Available in Snow White and Mountain Grey Colour



• All Switches and bell push are ISI marked and conforms to IS 3854: 1997
 • "AX" rating for switches are suitable to fluorescent lights also.



SWITCHES - 2 MODULE (MEGA SWITCHES) WITH

NEW

Description	Std Pack	Color		
		Snow White	Mountain Grey	Sparkle Black
		Cat No	Cat No	Cat No
Switch 20A DP with Indicator 2M	10	CB92402SW20	CB92402SM20	NA
Switch 32A DP with Indicator 2M	10	CB92402SW32	CB92402SM32	CB92402SB32
Switch 10AX 1-way 2M	10	CB92102SW10	CB92102SM10	NA
Switch 10AX 1-way with Indicator 2M	10	CB92302SW10	CB92302SM10	NA
Switch 10AX 2-way 2M	10	CB92202SW10	CB92202SM10	NA
Switch 16AX 1-way 2M	10	CB92102SW16	CB92102SM16	NA
Switch 16AX 1-way with Indicator 2M	10	CB92302SW16	CB92302SM16	NA
Switch 16AX 2-way 2M	10	CB92202SW16	CB92202SM16	NA
Switch 20A 1-way 2M	10	CB92102SW20	CB92102SM20	NA
Switch 20A 1-way with Indicator 2M	10	CB92302SW20	CB92302SM20	NA
Switch 20A 2-way 2M	10	CB92202SW20	CB92202SM20	NA

BELL PUSH WITH

NEW

Description	Std Pack	Color		
		Snow White	Mountain Grey	Sparkle Black
		Cat No	Cat No	Cat No
Soft Feel Bell Push 10AX 1-way 1M	20	CB92601BW10	CB92601BM10	CB92601BB10
Soft Feel Bell Push 10AX 1-way with Ind 1M	20	CB92801BW10	CB92801BM10	CB92801BB10
Bell Push 10AX 2M	10	CB92102BW10	CB92102BM10	CB92102BB10
Bell Push 10AX with Indicator 2M	10	CB92302BW10	CB92302BM10	CB92302BB10

MOTOR STARTER

NEW

Description	Std Pack	Color		
		Snow White	Mountain Grey	Sparkle Black
		Cat No	Cat No	Cat No
Motor Starter 25A 2M	10	CB92102MW25	CB92102MM25	CB92102MB25

- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB92602CW06

CB92302CW16



CB92602CM06

CB92302CM16

- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets also tested upto 25A rating.

POWER SOCKETS WITH

NEW

		Snow White	Mountain Grey	Sparkle Black
Description	Std Pack	Cat No	Cat No	Cat No
Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB92602CW06	CB92602CM06	CB92602CB06
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB92302CW16	CB92302CM16	CB92302CB16

FAN REGULATORS & DIMMERS

NEW

		Snow White	Mountain Grey	Sparkle Black
Description	Std Pack	Cat No	Cat No	Cat No
Dimmer 400 W 1M	10	CB92101DW04	CB92101DM04	CB92101DB04
Fan Regulator 4-Step 80W 1M	10	CB92101RW01	CB92101RM01	CB92101RB01
Fan Regulator 5-Step 120W with ISI 2M	5	CB92102RW02	CB92102RM02	CB92102RB02
Fan Regulator 5-Step Flat Type 120W with ISI 2M	5	CB92202RW02	CB92202RM02	CB92202RB02



CB92101DM04

CB92102DM10

CB921101RM01

CB92102RM02

CB92202RM02

- 5 step fan regulator conforms to IS 11037: 1984 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan regulators are not suitable for BLDC fans.



CB92101TW11 CB92201TW45
CB92301TW45 CB92101TW00



CB92101TM11 CB92201TM45
CB92301TM45 CB92101TM00

DATA SOCKETS

NEW

		Snow White	Mountain Grey	Sparkle Black
Description	Std Pack	Cat No	Cat No	Cat No
RJ 11 Socket with Shutter 1M	20	CB92101TW11	CB92101TM11	CB92101TB11
RJ 45 Cat 6 Socket with Shutter 1M	20	CB92201TW45	CB92201TM45	CB92201TB45
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB92301TW45	CB92301TM45	CB92301TB45
TV Socket 1M	20	CB92101TW00	CB92101TM00	CB92101TB00

- For Cat 6- Data transfer speed is upto 1GBPS and Bandwidth frequency is upto 250MHz.
- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.



CB92101AW00 CB92102LW00 CB92101AW02 CB92401TW00



CB92401AW00 CB92402AW00 CB92101AW18 CB92201AM18

ACCESSORIES

NEW

		Snow White	Mountain Grey	Sparkle Black
Description	Std Pack	Cat No	Cat No	Cat No
Buzzer 2M	5	CB92102AW00	CB92102AM00	CB92102AB00
Cable Outlet 1M	20	CB92101AW00	CB92101AM00	CB92101AB00
Blank off unit 1M	20	CB92201AW00	CB92201AM00	CB92201AB00
LED Foot Light 2M	5	CB92102LW00	CB92102LM00	CB92102LB00
USB Charger - 2A 1M	10	CB92101AW02	CB92101AM02	CB92101AB02
USB Type A Quick Charger 18W 1M	10	CB92101AW18	CB92101AM18	CB92101AB18
USB Type C PD Charger 18W 1M	10	CB92201AW18	CB92201AM18	CB92201AB18
LED Phase Indicator 1M - Full Glow	20	CB92401AW00	Same as Wh	Same as Whit
Electronic Ding Dong Bell 2M	10	CB92402AW00	CB92402AM00	NA



CB92202HW20
CB92302HW32

CB92302HW00

CB92403HW20



CB92502HW10

CB92602HW10



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32



CB92202KW25
CB92202KW32



CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32



CB92202KM25
CB92202KM32

- USB charger conforms to IS 13252(Part1)
- Electronic ding-dong bell is suitable for small rooms/cabins etc.
- Mechanical & electronic key tags are modular type.

HOSPITALITY RANGE

		Snow White	Mountain Grey	Sparkle Black
Description	Std Pack	Cat No	Cat No	Cat No
Mech key tag switch 20A 2M	5	CB92202HW20	CB92202HM20	NA
Mech Key Tag Switch 32A 2M	5	CB92302HW32	CB92302HM32	NA
Spare Key for Mech Key Tag	10	CB92302HW00	CB92302HM00	NA
Electronic Key Tag 20A 3M	2	CB92403HW20	CB92403HM20	NA
DND-MMR Inside Room Unit 2M	10	CB92502HW10	CB92502HM10	NA
DND-MMR Outside Room Unit 2M	10	CB92602HW10	CB92602HM10	NA

MINI MCBs WITH LED INDICATOR



		Snow White	Mountain Grey	Sparkle Black
Description	Std Pack	Cat No	Cat No	Cat No
6A SP Mini MCB 3 kA	10	CB92101KW06	CB92101KM06	CB92101KB06
10A SP Mini MCB 3 kA	10	CB92101KW10	CB92101KM10	CB92101KB10
16A SP Mini MCB 3 kA	10	CB92101KW16	CB92101KM16	CB92101KB16
20A SP Mini MCB 3 kA	10	CB92101KW20	CB92101KM20	CB92101KB20
25A SP Mini MCB 3 kA	10	CB92101KW25	CB92101KM25	CB92101KB25
32A SP Mini MCB 3 kA	10	CB92101KW32	CB92101KM32	CB92101KB32
25A DP Mini MCB 3 kA	5	CB92202KW25	CB92202KM25	CB92202KB25
32A DP Mini MCB 3 kA	5	CB92202KW32	CB92202KM32	CB92202KB32



Mocha Wood



Beige Wood



Oak Wood



Shadow Black



Metallic Gold



Brush Silver

- All wooden, glass and metal plates are supplied without grid frames.
- Customers need to order the grid plates separately.
- Being Natural Wood, color and texture may have variations in supplied wooden plates.

WOOD PLATES WITHOUT GRID FRAMES

Description	Std Pack	WOOD PLATES WITHOUT GRID FRAMES		
		Mocha Wood	Beige Wood	Oak Wood
		Cat No	Cat No	Cat No
1 Module Cover Plate	1/10	CB92101FM04	CB92101FB04	CB92101FW04
2 Module Cover Plate	1/10	CB92102FM04	CB92102FB04	CB92102FW04
3 Module Cover Plate	1/10	CB92103FM04	CB92103FB04	CB92103FW04
4 Module Cover Plate	1/10	CB92104FM04	CB92104FB04	CB92104FW04
6 Module Cover Plate	1/10	CB92106FM04	CB92106FB04	CB92106FW04
8 Module Cover Plate Horizontal	1/10	CB92108FM04	CB92108FB04	CB92108FW04
8 Module Cover Plate Square	1/5	CB92208FM04	CB92208FB04	CB92208FW04
12 Module Cover Plate	1/5	CB92112FM04	CB92112FB04	CB92112FW04
16 Module Cover Plate	1/4	CB92116FM04	CB92116FB04	CB92116FW04
18 Module Cover Plate	1/5	CB92118FM04	CB92118FB04	CB92118FW04

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES



Description	Std Pack	METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES			
		Shadow Black	Metallic Gold	Brush Silver	Jet Black
		Cat No	Cat No	Cat No	Cat No
1 Module Cover Plate	1/10	CB92101FB03	CB92101FG03	CB92101FS03	CB92101FJ03
2 Module Cover Plate	1/10	CB92102FB03	CB92102FG03	CB92102FS03	CB92102FJ03
3 Module Cover Plate	1/10	CB92103FB03	CB92103FG03	CB92103FS03	CB92103FJ03
4 Module Cover Plate	1/10	CB92104FB03	CB92104FG03	CB92104FS03	CB92104FJ03
6 Module Cover Plate	1/10	CB92106FB03	CB92106FG03	CB92106FS03	CB92106FJ03
8 Module Cover Plate Horizontal	1/10	CB92108FB03	CB92108FG03	CB92108FS03	CB92108FJ03
8 Module Cover Plate Square	1/5	CB92208FB03	CB92208FG03	CB92208FS03	CB92208FJ03
12 Module Cover Plate	1/5	CB92112FB03	CB92112FG03	CB92112FS03	CB92112FJ03
16 Module Cover Plate	1/4	CB92116FB03	CB92116FG03	CB92116FS03	CB92116FJ03
18 Module Cover Plate	1/5	CB92118FB03	CB92118FG03	CB92118FS03	CB92118FJ03



Icy White



Champagne Gold



Silky Silver



Midnight Black



Oceanic Green



Matte Mirror

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.

GLASS PLATES WITHOUT GRID FRAMES

Description	Std Pack	Color		
		Icy White	Champagne Gold	Silky Silver
		Cat No	Cat No	Cat No
1 Module Cover Plate	1/10	CB92101FW02	CB92101FC02	CB92101FS02
2 Module Cover Plate	1/10	CB92102FW02	CB92102FC02	CB92102FS02
3 Module Cover Plate	1/10	CB92103FW02	CB92103FC02	CB92103FS02
4 Module Cover Plate	1/10	CB92104FW02	CB92104FC02	CB92104FS02
6 Module Cover Plate	1/10	CB92106FW02	CB92106FC02	CB92106FS02
8 Module Cover Plate Horizontal	1/10	CB92108FW02	CB92108FC02	CB92108FS02
8 Module Cover Plate Square	1/5	CB92208FW02	CB92208FC02	CB92208FS02
12 Module Cover Plate	1/5	CB92112FW02	CB92112FC02	CB92112FS02
16 Module Cover Plate	1/4	CB92116FW02	CB92116FC02	CB92116FS02
18 Module Cover Plate	1/5	CB92118FW02	CB92118FC02	CB92118FS02

GLASS PLATES WITHOUT GRID FRAMES

Description	Std Pack	Color		
		Midnight Black	Oceanic Green	Matte Mirror
		Cat No	Cat No	Cat No
1 Module Cover Plate	1/10	CB92101FB02	CB92101FG02	CB92101FM02
2 Module Cover Plate	1/10	CB92102FB02	CB92102FG02	CB92102FM02
3 Module Cover Plate	1/10	CB92103FB02	CB92103FG02	CB92103FM02
4 Module Cover Plate	1/10	CB92104FB02	CB92104FG02	CB92104FM02
6 Module Cover Plate	1/10	CB92106FB02	CB92106FG02	CB92106FM02
8 Module Cover Plate Horizontal	1/10	CB92108FB02	CB92108FG02	CB92108FM02
8 Module Cover Plate Square	1/5	CB92208FB02	CB92208FG02	CB92208FM02
12 Module Cover Plate	1/5	CB92112FB02	CB92112FG02	CB92112FM02
16 Module Cover Plate	1/4	CB92116FB02	CB92116FG02	CB92116FM02
18 Module Cover Plate	1/5	CB92118FB02	CB92118FG02	CB92118FM02




COVER PLATES WITH GRID FRAMES



Description	Dimensions W X H X D (mm)	Std Pack	NEW						
			Snow White	Mountain Grey	Champagne Gold	Moonlight Silver	Sparkle Black	Gold Blush	Satin Chrome
			Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No
1 Module Cover Plate	97 X 90 X 14	10	CB92101FW00	CB92101FM01	CB92101FC01	CB92101FS01	CB92101FB01	CB92101FG01	CB92101FT01
2 Module Cover Plate	97 X 90 X 14	10	CB92102FW00	CB92102FM01	CB92102FC01	CB92102FS01	CB92102FB01	CB92102FG01	CB92102FT01
3 Module Cover Plate	125 X 90 X 14	10	CB92103FW00	CB92103FM01	CB92103FC01	CB92103FS01	CB92103FB01	CB92103FG01	CB92103FT01
4 Module Cover Plate	157 X 90 X 14	10	CB92104FW00	CB92104FM01	CB92104FC01	CB92104FS01	CB92104FB01	CB92104FG01	CB92104FT01
6 Module Cover Plate	228 X 90 X 14	5	CB92106FW00	CB92106FM01	CB92106FC01	CB92106FS01	CB92106FB01	CB92106FG01	CB92106FT01
8 Module Cover Plate H	262 X 90 X 18	4	CB92108FW00	CB92108FM01	CB92108FC01	CB92108FS01	CB92108FB01	CB92108FG01	CB92108FT01
8 Module Cover Plate S	157 X 157 X 14	5	CB92208FW00	CB92208FM01	CB92208FC01	CB92208FS01	CB92208FB01	CB92208FG01	CB92208FT01
12 Module Cover Plate	228 X 157 X 14	5	CB92112FW00	CB92112FM01	CB92112FC01	CB92112FS01	CB92112FB01	CB92112FG01	CB92112FT01
16 Module Cover Plate	249 X 157 X 19	4	CB92116FW00	CB92116FM01	CB92116FC01	CB92116FS01	CB92116FB01	CB92116FG01	CB92116FT01
18 Module Cover Plate	228 X 226 X 20	5	CB92118FW00	CB92118FM01	CB92118FC01	CB92118FS01	CB92118FB01	CB92118FG01	CB92118FT01

All white and colour plates are supplied with grid frames.



GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)

Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No
1/2 Module Grid Frame	71 X 60	10	CB92102GB00
3 Module Grid Frame	86 X 60	10	CB92103GB00
4 Module Grid Frame	110 X 60	10	CB92104GB00
6 Module Grid Frame	156 X 60	5	CB92106GB00
8 Module Grid Frame Horizontal	206 X 68	4	CB92108GB00
8 Module Grid Frame Square	109 X 125	5	CB92208GB00
12 Module Grid Frame	168 X 126	5	CB92112GB00
16 Module Grid Frame	191 X 136	4	CB92116GB00
18 Module Grid Frame	156 X 193	5	CB92118GB00

For Metal Boxes refer pg. no. 43

We make more than switches.
We make your moments.



entice
— POWERED BY LAURITZ KNUDSEN —

entice - Vibrant and sophisticated switches
from Lauritz Knudsen #MadeForMoments

THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for
TV, computers,
projectors etc.

Modular MCB
with LED
Indicators.

ISI & CE
certified

Glass Plates &
Marble Finish
available

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

HDMI, VGA,
USB & RCA
communication
connectors.

Feather Touch
Switches with
Remote

High
gloss
mirror
finish.

MODULAR IR TOUCH SWITCHES - SUITABLE FOR ENTICE PLATES

KEY FEATURES : TOUCH SWITCHES

- Modular type Touch Switches range suitable for all entice plates
- Hassle free installation-No need to change any wiring & mounting boxes
- Night Locator-Easy to locate in dark
- Highly Reliable & Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching & Controls function
- Black & Charcoal Grey options available




KEY FEATURES: IR REMOTE


- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Master Switch-Master On/Off in a click




SWITCHES




SWITCH: 4CH




SWITCH: 2CH



SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 25 A

CONTROLS



LIGHT DIMMER



FAN REGULATOR

Charcoal Grey



Black



Description	Std Pack	Cat No	Cat No
Touch IR Switch 2 Channel 2M	1	CB91602SC02	CB91602SB02
Touch IR Switch 4 Channel 2M	1	CB91602SC04	CB91602SB04
Touch IR Switch 2 way 2M	1	CB91602SC00	CB91602SB00
Touch Bell Push 2M	1	CB91602BC00	CB91602BB00
Touch IR Switch 25 A 2M	1	CB91602SC20	CB91602SB20
Touch IR Fan Regulator 8-Step 2M	1	CB91602FC00	CB91602RB00
Touch IR Universal Light Dimmer 2M*	1	CB91602DC00	CB91602DB00
IR Remote Control - Black	1	CB98T02RM13	1400

*Universal Dimmer suitable for LED Lights with phase-cut drivers



CB91101SW10 CB91301SW10 CB91201SW10 CB91402SW20
 CB91101SW16 CB91301SW16 CB91201SW16 CB91402SW32
 CB91101SW25 CB91301SW25



CB91101SG10 CB91301SG10 CB91201SG10 CB91402SG20
 CB91101SG16 CB91301SG16 CB91201SG16 CB91402SG32
 CB91101SG25 CB91301SG25



CB91101BW10 CB91301BW10 CB91101BG10 CB91301BG10



CB91102MW25 CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.

SWITCHES WITH ISI


Description	Std Pack	White	Charcoal Grey
		Cat No	Cat No
Switch 10AX 1-way 1M	20	CB91101SW10	CB91101SG10
Switch 10AX 1-way with Indicator 1M	20	CB91301SW10	CB91301SG10
Switch 10AX 2-way 1M	20	CB91201SW10	CB91201SG10
Switch 16AX 1-way 1M	20	CB91101SW16	CB91101SG16
Switch 16AX 1-way with Indicator 1M	20	CB91301SW16	CB91301SG16
Switch 16AX 2-way 1M	20	CB91201SW16	CB91201SG16
Switch 25A 1-way 1M	20	CB91101SW25	CB91101SG25
Switch 25A 1-way with Indicator 1M	20	CB91301SW25	CB91301SG25
Switch 20A DP with Indicator 2M	10	CB91402SW20	CB91402SG20
Switch 32A DP with Indicator 2M	10	CB91402SW32	CB91402SG32

BELL PUSH WITH ISI

Description	Std Pack	White	Charcoal Grey
		Cat No	Cat No
Bell Push 10AX 1M	20	CB91101BW10	CB91101BG10
Bell Push 10AX with indicator 1M	20	CB91301BW10	CB91301BG10
Bell Push 10AX with indicator 2M	10	CB91302BW10	CB91302BG10

MOTOR STARTER

Description	Std Pack	White	Charcoal Grey
		Cat No	Cat No
Motor Starter 25A 2M	10	CB91102MW25	CB91102MG25



CB91602CW06
CB91702CW06



CB91302CW16



CB91602CG06
CB91702CG06



CB91302CG16

POWER SOCKETS WITH ISI

Description	Std Pack	White		Charcoal Grey	
		Cat No		Cat No	
Socket 6A 3 Pin with ISI 2M	10	CB91602CW06		CB91602CG06	
New Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB91702CW06		CB91702CG06	
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB91302CW16		CB91302CG16	

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is also suitable for 2 Pin Plug top.
- 6A 3 Pin Socket Heavy Duty is with heavy connectors and terminals for more durability.
- 6A/16A Sockets also tested upto 25A rating.



CB91101DW04



CB91102DW10



CB91101RW01



CB91102RW02

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Charcoal Grey	
		Cat No		Cat No	
Dimmer 400 W 1M	10	CB91101DW04		CB91101DG04	
Fan Regulator 4-Step 80W 1M	10	CB91101RW01		CB91101RG01	
Fan Regulator 5-Step 120W with ISI 2M	5	CB91102RW02		CB91102RG02	

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan regulators are not suitable for BLDC fans.

DATA SOCKETS



CB91101TW11

CB91201TW45
CB91301TW45

CB91101TW00

- For Cat 6- Data transfer speed is upto 1GBPS and Bandwidth frequency is upto 250MHz.
- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.

ACCESSORIES



CB91102AW00

CB91402AW00

CB91101AW00

CB91201AW00

CB91102LW00



CB91101AW02

CB91401AW00

CB91102AG00

CB91101AG00

CB91201AG00

CB91101AG18

CB91201AW18

- USB charger conforms to IS 13252(Part1),
- Electronic ding-dong bell is suitable for small rooms/cabins etc.

Description	Standard Pack	White	Charcoal Grey
		White	Cat No
RJ 11 Socket with Shutter 1M	20	CB91101TW11	CB91101TG11
RJ 45 Cat 6 Socket with Shutter 1M	20	CB91201TW45	CB91201TG45
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB91301TW45	CB91301TG45
TV Socket 1M	20	CB91101TW00	CB91101TG00

Description	Std Pack	White	Charcoal Grey
		Cat No	Cat No
Buzzer 2M	5	CB91102AW00	CB91102AG00
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	CB91101AG00
Blank Off Unit 1M	20	CB91201AW00	CB91201AG00
LED Foot Light 2M	5	CB91102LW00	CB91102LG00
USB Charger 2A 1M	10	CB91101AW02	CB91101AG02
USB Type A Quick Charger 18W 1M	10	CB91101AW18	CB91101AG18
USB Type C PD Charger 18W 1M	10	CB91201AW18	CB91201AG18
LED Phase Indicator 1M - Full Glow	20	CB91401AW00	Same as White
Electronic Ding Dong Bell 2M	10	CB91402AW00	CB91402AG00



• Mechanical Key Tag are modular type and supplied without any plates.

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Compliant



HOSPITALITY RANGE

Description	Std Pack	White		Charcoal Grey	
		Cat No	Cat No	Cat No	Cat No
Mech Key Tag Switch 20A 2M	5	CB91202HW20		CB91202HG20	
Mech Key Tag Switch 32A 2M	5	CB91302HW32		CB91302HG32	
Spare Key for Mech Key Tag	10	CB91302HW00		CB91302HG00	
DND-MMR Inside Room Unit 2M	10	CB91502HW10		CB91502HG10	
DND-MMR Outside Room Unit 2M	10	CB91602HW10		Same as White	

MINI MCBs WITH LED INDICATOR

Description	Std Pack	White		Charcoal Grey	
		Cat No	Cat No	Cat No	Cat No
6A SP Mini MCB 3kA 1M	10	CB91101KW06		CB91101KG06	
10A SP Mini MCB 3kA 1M	10	CB91101KW10		CB91101KG10	
16A SP Mini MCB 3kA 1M	10	CB91101KW16		CB91101KG16	
20A SP Mini MCB 3kA 1M	10	CB91101KW20		CB91101KG20	
25A SP Mini MCB 3kA 1M	10	CB91101KW25		CB91101KG25	
32A SP Mini MCB 3kA 1M	10	CB91101KW32		CB91101KG32	
25A DP Mini MCB 3kA 2M	5	CB91202KW25		CB91202KG25	
32A DP Mini MCB 3kA 2M	5	CB91202KW32		CB91202KG32	

WHITES



The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty

VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Metallic Grey



Rustic Gold



Rose Gold

WOODEN




Cinnamon Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.



Dark Chocolate Wood



- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITH GRID FRAMES - WHITE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
1 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91101FW00
2 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91102FW00
3 Module Cover Plate+Grid Frame	125 X 90 X 14	10	CB91103FW00
4 Module Cover Plate+Grid Frame	157 X 90 X 14	10	CB91104FW00
6 Module Cover Plate+Grid Frame	228 X 90 X 14	5	CB91106FW00
8 Module Cover Plate+Grid Frame Horizontal	262 X 90 X 14	5	CB91108FW00
8 Module Cover Plate+Grid Frame Square	157 X 157 X 14	5	CB91208FW00
8 Module Cover Plate+Grid Frame-Small Size (Suitable for Oris 10M Boxes)	262 X 90 X 18	5	CB91308FW00
12 Module Cover Plate+Grid Frame	228 X 157 X 14	5	CB91112FW00
16 Module Cover Plate+Grid Frame	248 X 156 X 18	4	CB91116FW00
18 Module Cover Plate+Grid Frame	228 X 226 X 14	5	CB91118FW00

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES




- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11
6 Module Cover Plate	5	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11
8 Module Cover Plate Horizontal	5	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11
8 Module Cover Plate Square	5	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11
12 Module Cover Plate	5	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11
16 Module Cover Plate	5	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11
18 Module Cover Plate	5	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11



Rustic Gold

Metallic Grey



Firestorm Orange

Rose Gold

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES

Description	Std Pack	Rustic Gold	Metallic Grey	Firestorm Orange	Rose Gold
		Cat No	Cat No	Cat No	Cat No
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FS11	CB91101FL11
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FS11	CB91102FL11
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FS11	CB91103FL11
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FS11	CB91104FL11
6 Module Cover Plate	5	CB91106FR11	CB91106FM11	CB91106FS11	CB91106FL11
8 Module Cover Plate Horizontal	5	CB91108FR11	CB91108FM11	CB91108FS11	CB91108FL11
8 Module Cover Plate Square	5	CB91208FR11	CB91208FM11	CB91208FS11	CB91208FL11
12 Module Cover Plate	5	CB91112FR11	CB91112FM11	CB91112FS11	CB91112FL11
16 Module Cover Plate	5	CB91116FR11	CB91116FM11	CB91116FS11	CB91116FL11
18 Module Cover Plate	5	CB91118FR11	CB91118FM11	CB91118FS11	CB91118FL11

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES



Dark Chocolate Wood

Cinnamon Wood

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Dark Chocolate Wood	Cinnamon Wood
		Cat No	Cat No
1 Module Cover Plate	15	CB91101FL12	CB91101FA12
2 Module Cover Plate	15	CB91102FL12	CB91102FA12
3 Module Cover Plate	10	CB91103FL12	CB91103FA12
4 Module Cover Plate	10	CB91104FL12	CB91104FA12
6 Module Cover Plate	5	CB91106FL12	CB91106FA12
8 Module Cover Plate Horizontal	5	CB91108FL12	CB91108FA12
8 Module Cover Plate Square	5	CB91208FL12	CB91208FA12
12 Module Cover Plate	5	CB91112FL12	CB91112FA12
16 Module Cover Plate	5	CB91116FL12	CB91116FA12
18 Module Cover Plate	5	CB91118FL12	CB91118FA12

Presenting the all new range of Glass plates in entice. These Glass Plates represent the perfect amalgamation of style and functionality. Crafted with utmost precision and attention to detail, they exude elegance and modernity, elevating the aesthetics of any space they adorn.

Onyx Black Glass

Classic Grey Glass

- Real Toughened 4mm Glass with Golden Bezel
- Plates are supplied with Grid Plates

ENTICE GLASS PLATES WITH GRID FRAME

NEW

Description	Std Pack	Onyx Black Glass		Classic Grey Glass	
		Cat No		Cat No	
1 Module Cover Plate	1	CB91101FB02		CB91101FC02	
2 Module Cover Plate	1	CB91102FB02		CB91102FC02	
3 Module Cover Plate	1	CB91103FB02		CB91103FC02	
4 Module Cover Plate	1	CB91104FB02		CB91104FC02	
6 Module Cover Plate	1	CB91106FB02		CB91106FC02	
8 Module Cover Plate Horizontal	1	CB91108FB02		CB91108FC02	
8 Module Cover Plate Square	1	CB91208FB02		CB91208FC02	
12 Module Cover Plate	1	CB91112FB02		CB91112FC02	
16 Module Cover Plate	1	CB91116FB02		CB91116FC02	
18 Module Cover Plate	1	CB91118FB02		CB91118FC02	

Introducing the timeless beauty of Marble finish plates. Marble finish plates effortlessly blend with a variety of interior styles, from classic to contemporary, traditional to modern. Their timeless appeal ensures that they remain a stylish addition to your home for years to come.

Mystic Marble Finish


White Marble Finish

- Marble Finish plates made with highly reliable Thermal/Heat transfer film technology
- Plates are supplied with Grid Plates

ENTICE MARBLE FINISH PLATES WITH GRID FRAME

NEW

Description	Std Pack	Mystic Marble Finish		White Marble Finish	
		Cat No		Cat No	
1 Module Cover Plate	1	CB91101FM07		CB91101FW07	
2 Module Cover Plate	1	CB91102FM07		CB91102FW07	
3 Module Cover Plate	1	CB91103FM07		CB91103FW07	
4 Module Cover Plate	1	CB91104FM07		CB91104FW07	
6 Module Cover Plate	1	CB91106FM07		CB91106FW07	
8 Module Cover Plate Horizontal	1	CB91108FM07		CB91108FW07	
8 Module Cover Plate Square	1	CB91208FM07		CB91208FW07	
12 Module Cover Plate	1	CB91112FM07		CB91112FW07	
16 Module Cover Plate	1	CB91116FM07		CB91116FW07	
18 Module Cover Plate	1	CB91118FM07		CB91118FW07	



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.




GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)

Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No
1/2 Module Grid Frame	52 X 55	15	CB91102GB00
3 Module Grid Frame	80 X 66	10	CB91103GB00
4 Module Grid Frame	119 X 55	10	CB91104GB00
6 Module Grid Frame	178 X 61	5	CB91106GB00
8 Module Grid Frame Horizontal	222 X 68	5	CB91108GB00
8 Module Grid Frame Square	113 X 120	5	CB91208GB00
12 Module Grid Frame	173 X 120	5	CB91112GB00
16 Module Grid Frame	203 X 126	4	CB91116GB00
18 Module Grid Frame	173 X 185	5	CB91118GB00

GI METAL MOUNTING BOXES


Description	Dimensions W X H X D (mm)	Std Pack	Cat No
GI Metal Box - 1 & 2 Module	77 X 76 X 53	60	CB91102WM00
GI Metal Box-3 Module	103 X 76 X 53	45	CB91103WM00
GI Metal Box- 4 Module	136 X 76 X 53	30	CB91104WM00
GI Metal Box- 6 Module	210 X 76 X 53	20	CB91106WM00
GI Metal Box- 8 Module Horizontal	227 X 82 X 53	15	CB91108WM00
GI Metal Box- 8 Module Square	136 X 132 X 58	24	CB91208WM00
GI Metal Box- 12 Module	210 X 132 X 61	16	CB91112WM00
GI Metal Box- 16 Module	227 X 146 X 61	12	CB91116WM00
GI Metal Box- 18 Module	212 X 210 X 61	10	CB91118WM00

- Suitable for entice, englaze, enCurve and enGem ranges.
- GI Boxes Conforms to IS14772: 2000
- With  Marking



Electrical & Automation

We make more than switches.
We make your moments.



WHITE



MAGNESIUM GREY



ANTIQUÉ BRONZE



VINTAGE GOLD



DESERT GOLD



NEBULA BLACK

enCurve
— POWERED BY LAURITZ KNUDSEN —

enCurve - Soft Operating Switches
from Lauritz Knudsen #MadeForMoments



SLEEK & CURVILINEAR DESIGN

Impress your customers with the enCurve range's stunning curvilinear design that blends seamlessly into modern interiors. The premium build and contemporary look are sure to add a touch of sophistication to every space.



SOFT OPERATING SWITCH

With its soft operating switches and low-sound mechanism, enCurve offers a smooth, noiseless experience to customers. Every click on switch feels premium, ensuring both comfort and satisfaction in daily use.



ENGINEERED FOR ENDURANCE

enCurve switches are tested for over 1 lakh switching operations, ensuring exceptional durability. Pair that with strong grid frames & a break-free knob design for fan regulators, and you get unmatched reliability over years of use.



EFFORTLESS CONNECTIVITY

The hassle-free socket design ensures easy plugging and unplugging, making it convenient for all age groups while offering complete peace of mind for everyday use.



INSTALL IN A SNAP

A front-removal system, captive screws, & smart construction make installation fast & fuss-free. Whether it's a fresh fit-out or an upgrade, enCurve ensures time efficiency for professionals and a perfect finish for every space.



DUAL-PORT USB CHARGING

USB Charger Integrated with both Type-A and Type -C PD charging ports delivering 18W of power. enCurve delivers fast, reliable charging for all your devices. Eliminate the need for bulky adapters & keep your tech powered with a sleek, built-in solution that matches your interiors.



HOSPITALITY SOLUTIONS


Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.



MULTIPLE COLOUR OPTIONS

enCurve offers wide range of colour options to customer to match with their home décor





- Soft operating & low sound switch.
- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997



CB95102MW25



CB95602CW06



CB95302CW16



CB95602CG06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

SWITCHES & BELL PUSH WITH ISI

Description	Std Pack	White		Magnesium Grey	
		Cat No	Cat No	Cat No	Cat No
Switch 1 way 6AX 1M	20	CB95101SW06		CB95101SG06	
Switch 1 way 6AX with indicator 1M	20	CB95301SW06		CB95301SG06	
Switch 2 way 6AX 1M	20	CB95201SW06		CB95201SG06	
Switch 1 way 16 AX 1M	20	CB95101SW16		CB95101SG16	
Switch 1 way 16AX with indicator 1M	20	CB95301SW16		CB95301SG16	
Switch 2 way 16AX 1M	20	CB95201SW16		CB95201SG16	
Switch 1 way 25 A 1M	20	CB95101SW25		CB95101SG25	
Switch 1 way 25A with indicator 1M	20	CB95301SW25		CB95301SG25	
Switch 32A DP with Indicator lamp 2M	10	CB95402SW32		CB95402SG32	
Bell Push 6A 1M	20	CB95101BW06		CB95101BG06	
Bell Push 6A 1M with Indicator 1 M	20	CB95301BW06		CB95301BG06	
Bell Push 6A with indicator 2M	10	CB95302BW06		CB95302BG06	

MOTOR STARTER

Description	Std Pack	White		Magnesium Grey	
		Cat No	Cat No	Cat No	Cat No
Motor starter 25A 2M	10	CB95102MW25		CB95102MG25	

POWER SOCKET WITH ISI

Description	Std Pack	White		Magnesium Grey	
		Cat No	Cat No	Cat No	Cat No
Socket 3 Pin Socket 6A with ISI 2M	10	CB95602CW06		CB95602CG06	
Socket 6A/16A combined with ISI 2M (Tested upto 25A rating also)	10	CB95302CW16		CB95302CG16	



CB95101RW01 CB95102RW02

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers support incandescent and halogen loads only.



CB95101TW11 CB95101TW00 CB95101AW00 CB95201AW00 CB95102LW00



CB95101AW02 CB95101AW18 CB95401AW00

USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings - 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Magnesium Grey Colors



CB95101KW06 CB95101KW10 CB95101KW16 CB95101KW20 CB95101KW25 CB95101KW32
 CB95202KW25 CB95202KW32

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Magnesium Grey	
		Cat No		Cat No	
Dimmer 400 W 1M	10	CB95101DW04		CB95101DG04	
Fan regulator 4-Step 1M	10	CB95101RW01		CB95101RG01	
Fan regulator 5-Step 2M	5	CB95102RW02		CB95102RG02	

DATA SOCKETS & ACCESSORIES


Description	Std Pack	White		Magnesium Grey	
		Cat No		Cat No	
RJ 11 1M	20	CB95101TW11		CB95101TG11	
RJ 45 Cat 6A 1M	20	CB95301TW45		CB95301TG45	
TV Socket 1M	20	CB95101TW00		CB95101TG00	
Cable Outlet 1M	20	CB95101AW00		CB95101AG00	
Blank off unit 1M	20	CB95201AW00		CB95201AG00	
LED Foot Light 2M	5	CB95102LW00		CB95102LG00	
USB Charger 2A 1M	10	CB95101AW02		CB95101AG02	
USB Charger 18W Type A & C-Combi Type 1M	10	CB95101AW18		CB95101AG18	
LED Phase indicator 1M-Full Glow	20	CB95401AW00			

MINI MCBs

Description	Std Pack	White		Magnesium Grey	
		Cat No		Cat No	
6A SP Mini MCB 3 kA 1M	10	CB95101KW06		CB95101KG06	
10A SP Mini MCB 3 kA 1M	10	CB95101KW10		CB95101KG10	
16A SP Mini MCB 3 kA 1M	10	CB95101KW16		CB95101KG16	
20A SP Mini MCB 3 kA 1M	10	CB95101KW20		CB95101KG20	
25A SP Mini MCB 3 kA 1M	10	CB95101KW25		CB95101KG25	
32A SP Mini MCB 3 kA 1M	10	CB95101KW32		CB95101KG32	
25A DP Mini MCB 3 kA 2M	5	CB95202KW25		CB95202KG25	
32A DP Mini MCB 3 kA 2M	5	CB95202KW32		CB95202KG32	

COVER PLATES WITH GRID FRAMES

Description	Std Pack	Color Options					
		White	Magnesium Grey	Desert Gold	Vintage Gold	Nebula Black	Antique Bronze
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No
1 Module Cover Plate with Grid Frames	10	CB95101FW00	CB95101FG01	CB95101FD01	CB95101FV01	CB95101FB01	CB95101FA01
2 Module Cover Plate with Grid Frames	10	CB95102FW00	CB95102FG01	CB95102FD01	CB95102FV01	CB95102FB01	CB95102FA01
3 Module Cover Plate with Grid Frames	10	CB95103FW00	CB95103FG01	CB95103FD01	CB95103FV01	CB95103FB01	CB95103FA01
4 Module Cover Plate with Grid Frames	10	CB95104FW00	CB95104FG01	CB95104FD01	CB95104FV01	CB95104FB01	CB95104FA01
6 Module Cover Plate with Grid Frames	5	CB95106FW00	CB95106FG01	CB95106FD01	CB95106FV01	CB95106FB01	CB95106FA01
8 Module Cover Plate with Grid Frames Horizontal	5	CB95108FW00	CB95108FG01	CB95108FD01	CB95108FV01	CB95108FB01	CB95108FA01
8 Module Cover Plate with Grid Frames Square	5	CB95208FW00	CB95208FG01	CB95208FD01	CB95208FV01	CB95208FB01	CB95208FA01
9 Module Cover Plate with Grid Frames Horizontal	5	CB95109FW00	CB95109FG01	CB95109FD01	CB95109FV01	CB95109FB01	CB95109FA01
12 Module Cover Plate with Grid Frames	5	CB95112FW00	CB95112FG01	CB95112FD01	CB95112FV01	CB95112FB01	CB95112FA01
16 Module Cover Plate with Grid Frames	4	CB95116FW00	CB95116FG01	CB95116FD01	CB95116FV01	CB95116FB01	CB95116FA01
18 Module Cover Plate with Grid Frames	4	CB95118FW00	CB95118FG01	CB95118FD01	CB95118FV01	CB95118FB01	CB95118FA01



HOSPITALITY RANGE



CB95302HW32



CB95302HW00



CB95302HW32





CB95601HW10

- DND MMR Outside Unit in 1 Module size
- DND MMR Inside Unit supplied complete set, occupy 2 module size
- Mechanical Key Tag is Modular type and supplied without plate

Description	Std Pack	White		Magnesium Grey	
		Cat No		Cat No	
Mech Key Tag 32A 2M	10	CB95302HW32		CB95302HG32	
Spare key for Mech key tag	10	CB95302HW00		CB95302HG00	
DND MMR inside room unit 2M	10	CB95502HW10		CB95502HG10	
DND MMR outside room unit 1M	10	CB95601HW10		CB95601HG10	



We make more than switches.
We make your moments.



enGem
— POWERED BY LAURITZ KNUDSEN —

enGem - Safe and secure switches
from Lauritz Knudsen #MadeForMoments



2 AMP USB CHARGING WITH LED INDICATOR

The enGem range allows your customers to fast-charge devices with the power of 2 Amp. That's not all. The range also comes with a Direct USB Charger that has a LED light indicator, The more impressed your customers, the more compliments you'll get.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. engem brings to you 6 stunning options to match with your home decor.



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB93102MW25



CB93602CW06

CB93302CW16

CB93602CS06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.

SWITCHES & BELL PUSH WITH 

Description	Std Pack	White	Stone Grey
		Cat No	Cat No
Switch 6AX 1-way 1M	20	CB93101SW06	CB93101SS06
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	CB93301SS06
Switch 6AX 2-way 1M	20	CB93201SW06	CB93201SS06
Switch 16AX 1-way 1M	20	CB93101SW16	CB93101SS16
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	CB93301SS16
Switch 16AX 2-way 1M	20	CB93201SW16	CB93201SS16
Switch 20A 1-way 1M	20	CB93101SW20	CB93101SS20
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	CB93301SS20
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	CB93402SS32
Bell Push 6A 1M	20	CB93101BW06	CB93101BS06
Bell Push 6A with Indicator 1M	20	CB93301BW06	CB93301BS06
Bell Push 6A with Indicator 2M	10	CB93302BW06	CB93302BS06

MOTOR STARTER

Description	Std Pack	White	Stone Grey
		Cat No	Cat No
New Motor Starter 25A 2M	10	CB93102MW25	CB93102MS25

POWER SOCKET WITH 

Description	Std Pack	White	Stone Grey
		Cat No	Cat No
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	CB93602CS06
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	CB93302CS16



- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.



USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Stone Grey Colors



FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No		Cat No	
Dimmer 400 W 1M	10	CB93101DW04		CB93101DS04	
Fan Regulator 4-Step 80W 1M	10	CB93101RW01		CB93101RS01	
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02		CB93102RS02	

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No		Cat No	
RJ 11 Socket with Shutter 1M	20	CB93101TW11		CB93101TS11	
RJ 45 Cat 6 Socket with Shutter 1M	20	CB93201TW45		CB93201TS45	
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45		CB93301TS45	
TV Socket 1M	20	CB93101TW00		CB93101TS00	
Cable Outlet 1M	20	CB93101AW00		CB93101AS00	
Blank off Unit 1M	20	CB93201AW00		CB93201AS00	
LED Foot Light 2M	5	CB93102LW00		CB93102LS00	
USB Charger 2A 1M	10	CB93101AW02		CB93101AS02	
New USB Charger 18W Type A & C 1M	20	CB93101AW18		CB93101AS18	
New LED Phase Indicator 1M-Full Glow	20	CB93401AW00		Same as White	

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No		Cat No	
6A SP Mini MCB 3kA 1M	10	CB93101KW06		CB93101KS06	
10A SP Mini MCB 3kA 1M	10	CB93101KW10		CB93101KS10	
16A SP Mini MCB 3kA 1M	10	CB93101KW16		CB93101KS16	
20A SP Mini MCB 3kA 1M	10	CB93101KW20		CB93101KS20	
25A SP Mini MCB 3kA 1M	10	CB93101KW25		CB93101KS25	
32A SP Mini MCB 3kA 1M	10	CB93101KW32		CB93101KS32	
25A DP Mini MCB 3kA 2M	5	CB93202KW25		CB93202KS25	
32A DP Mini MCB 3kA 2M	5	CB93202KW32		CB93202KS32	



CB93101FW00 CB93102FW00 CB93103FW00 CB93104FW00



CB93104FS01 CB93106FS01



CB93104FS06



CB93106FS05



CB93106FW05



CB93106FW06

COVER PLATES WITH GRID FRAMES

Description	Dimensions W X H X D (mm)	Std Pack	White	Stone Grey
			Cat No	Cat No
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	CB93101FS01
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	CB93102FS01
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	CB93103FS01
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	CB93104FS01
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	CB93106FS01
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	CB93108FS01
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	CB93208FS01
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	CB93112FS01
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	CB93116FS01
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	CB93118FS01


COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS

Description	Std Pack	White with Chrome Bezel	White with Gold Bezel	Stone Grey with Chrome Bezel	Stone Grey with Gold Bezel
		Cat No	Cat No	Cat No	Cat No
1 Module Cover Plate+Grid Frame	10	CB93101FW05	CB93101FW06	CB93101FS05	CB93101FS06
2 Module Cover Plate+Grid Frame	10	CB93102FW05	CB93102FW06	CB93102FS05	CB93102FS06
3 Module Cover Plate+Grid Frame	10	CB93103FW05	CB93103FW06	CB93103FS05	CB93103FS06
4 Module Cover Plate+Grid Frame	10	CB93104FW05	CB93104FW06	CB93104FS05	CB93104FS06
6 Module Cover Plate+Grid Frame	4	CB93106FW05	CB93106FW06	CB93106FS05	CB93106FS06
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	CB93108FW06	CB93108FS05	CB93108FS06
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	CB93208FW06	CB93208FS05	CB93208FS06
12 Module Cover Plate+Grid Frame	4	CB93112FW05	CB93112FW06	CB93112FS05	CB93112FS06
16 Module Cover Plate+Grid Frame	4	CB93116FW05	CB93116FW06	CB93116FS05	CB93116FS06
18 Module Cover Plate+Grid Frame	4	CB93118FW05	CB93118FW06	CB93118FS05	CB93118FS06



GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00

- GI Metal Boxes Suitable for englaze, entice, enCurve and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With  Marking

SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates




MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00

CUSTOMISED GI METAL BOXES SUITABLE FOR MIYAN CONSTRUCTION

Suitable for entice, englaze and enGem range of plates

Technical Specifications

- Material Type – CRCA Galvanised Sheet
- Sheet Thickness – 1.2mm / 1.6mm
- Depth – 50mm / 60mm
- GI coating – 120 GSM
- Design Type – Foldable, weldless design
- Knockouts – Multiple knockouts on all sides
- RoHS Compliant – Yes
- Testing /Certification – Conforms to IS14772: 2000
- with  Marking



• Make to order for projects, please consider Delivery time – 6-8 weeks

CUSTOMISED GI METAL BOXES – 1.2MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
GI Metal Box - 1/2 Module 1.2mm & 50mm Depth	73 X 78 X 50	10	CB91102WM1250
GI Metal Box-3 Module 1.2mm & 50mm Depth	99 X 78 X 50	10	CB91103WM1250
GI Metal Box- 4 Module 1.2mm & 50mm Depth	133 X 78 X 50	10	CB91104WM1250
GI Metal Box- 6 Module 1.2mm & 50mm Depth	202 X 78 X 50	10	CB91106WM1250
GI Metal Box- 8 Module L-1.2mm & 50mm Depth	231 X 78 X 50	5	CB91108WM1250
GI Metal Box- 8 Module Sqr -1.2mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1250
GI Metal Box- 12 Module -1.2mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1250

CUSTOMISED GI METAL BOXES – 1.6MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
GI Metal Box - 1/2 Module 1.6mm & 50mm Depth	74 X 78 X 50	10	CB91102WM1650
GI Metal Box-3 Module 1.6mm & 50mm Depth	100 X 78 X 50	10	CB91103WM1650
GI Metal Box- 4 Module 1.6mm & 50mm Depth	134 X 78 X 50	10	CB91104WM1650
GI Metal Box- 6 Module 1.6mm & 50mm Depth	205 X 78 X 50	10	CB91106WM1650
GI Metal Box- 8 Module L-1.6mm & 50mm Depth	232 X 78 X 50	5	CB91108WM1650
GI Metal Box- 8 Module Sqr -1.6mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1650
GI Metal Box- 12 Module -1.6mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1650

CUSTOMISED GI METAL BOXES – 1.2MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
GI Metal Box - 1/2 Module 1.2mm & 60mm Depth	72 X 75 X 61	10	CB91102WM1260
GI Metal Box-3 Module 1.2mm & 60mm Depth	98 X 75 X 61	10	CB91103WM1260
GI Metal Box- 4 Module 1.2mm & 60mm Depth	133 X 75 X 61	10	CB91104WM1260
GI Metal Box- 6 Module 1.2mm & 60mm Depth	204 X 75 X 61	10	CB91106WM1260
GI Metal Box- 8 Module L-1.2mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1260
GI Metal Box- 8 Module Sqr -1.2mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1260
GI Metal Box- 12 Module -1.2mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1260

CUSTOMISED GI METAL BOXES – 1.6MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No
GI Metal Box - 1/2 Module 1.6mm & 60mm Depth	74 X 75 X 61	10	CB91102WM1660
GI Metal Box-3 Module 1.6mm & 60mm Depth	100 X 75 X 61	10	CB91103WM1660
GI Metal Box- 4 Module 1.6mm & 60mm Depth	134 X 75 X 61	10	CB91104WM1660
GI Metal Box- 6 Module 1.6mm & 60mm Depth	205 X 75 X 61	10	CB91106WM1660
GI Metal Box- 8 Module L-1.6mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1660
GI Metal Box- 8 Module Sqr -1.6mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1660
GI Metal Box- 12 Module -1.6mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1660

ORIS RANGE IS DISCONTINUED

MATERIAL AVAILABLE TILL STOCKS LAST

SWITCHES & BELL PUSH WITH

Description	Std Pack	Cat No
Switch 10AX 1-way 1M	20	OS11W10
Switch 10AX 2-way 1M	20	OS12W10
Switch 10AX 1-way with Indicator 1M	20	OS13W10
Switch 16AX 1-way 1M	20	OS11W16
Switch 16AX 2-way 1M	20	OS12W16
Switch 16AX 1-way with Indicator 1M	20	OS13W16
Switch 10AX 1-way 1M - W Plain Knob	20	OS15W10
Switch 10AX 2-way 1M - W Plain Knob	20	OS16W10
Switch 16AX 1-way 1M - W Plain Knob	20	OS15W16
Switch 16AX 2-way 1M - W Plain Knob	20	OS16W16
Switch 20A DP with Indicator 2M	10	OS24W20
Switch 32A DP with Indicator 2M	10	OS24W32
Switch Night Locator 10A 1M	20	OS14W10
Bell Push 6A 1M	20	OB11W06
Bell Push 6A with Indicator 1M	20	OB13W06
Bell Push 10A with Indicator 2M	10	OB23W10
Bell Push 6A 1M - W Plain Knob	20	OB15W06

MOTOR STARTER

Description	Std Pack	Cat No
Motor Starter 1 PH 25A 3M	8	OS31W25

• Marked Cat Nos are available till stocks last.

POWER SOCKET WITH

Description	Std Pack	Cat No
Socket 6A 3 Pin with ISI 2M	10	OC36W06
Socket 6A/16A 3 Pin Combi with ISI 2M	10	OC32W66

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No
Dimmer 400 W 1M	5	OD21W04
Fan Regulator 5-Step 120W with ISI 2M	5	OR22W01

• Material available till stock lasts

DATA SOCKETS

Description	Std Pack	Cat No
RJ 11 Socket with Shutter 1M	20	OT11W11
RJ 45 Cat 6 Socket with Shutter 1M	20	OT11W45
TV Socket 1M	20	OT11W00

ACCESSORIES

Description	Std Pack	Cat No
LED Foot Light 6M (GST@12%)	5	OL61W06
Indicator Light 1M	20	OA11W00
Blank Off Unit 1M	20	OA10W00

COVER PLATES WITH GRID FRAMES

Description	Std Pack	Cat No
Grid and Face Plate 1M	15	OF11W00
Grid and Face Plate 2M	15	OF21W00
Grid and Face Plate 3M	10	OF31W00
Grid and Face Plate 3M Mini	10	OF32W00
Grid and Face Plate 4M	10	OF41W00
Grid and Face Plate 6M	10	OF61W00
Grid and Face Plate 8M	10	OF81W00
Grid and Face Plate 10M 433	5	OF10W03
Grid and Face Plate 10M 433 Suitable for entire 8M Box	5	OF10W04
Grid and Face Plate 12M	5	OF12W00
Grid and Face Plate 16M	5	OF16W00
Grid and Face Plate 24M	5	OF24W00

MOUNTING BOXES - PLASTIC SURFACE BOXES

Description	Std Pack	Cat No
Surface Wall Box 1/2M	20	OW21W00
Surface Wall Box 3/4M	12	OW41W00
Surface Wall Box 6M	10	OW61W00
Surface Wall Box 8M	14	OW81W00
Surface Wall Box 10M	10	OW10W00
Surface Wall Box 12M	10	OW12W00
Surface Wall Box 16M	8	OW16W00

MATERIAL DISCONTINUED, AVAILABLE TILL STOCKS LAST

Description	Cat No	Description	Cat No
entice Dimmer 1000W 2M	CB91102DW10	englaze VGA Connector 1M	CB92501TW00
entice Twin RJ 11 1M	CB91201TW11	englaze Curtain Control Switch 2M 10A	CB92502AW10
entice RCA Connector 1M	CB91201TW00	englaze Shaver socket 4M	CB92104HW10
entice HDMI Connector 1M	CB91301TW00	englaze Volume controller 2M	CB92702HW00
entice USB Connector 1M	CB91401TW00	englaze Bell indicator with Reset 1M	CB92801HW00
entice VGA Connector 1M	CB91501TW00	englaze Call bell station with ind 2M	CB92902HW00
entice Bell indicator with Reset 1M	CB91801HW00	englaze Movement Sensor 1M	CB92701AW00
entice Volume Controller 2M	CB91702HW00	englaze Twin RJ 11, shutters M Grey	CB92201TM11
entice Dimmer 1000W 2M - Cha Grey	CB91102DG10	englaze RCA connector M Grey	CB92201TM00
entice Twin RJ 11, 1M - Cha Grey	CB91201TG11	englaze HDMI connector M Grey	CB92301TM00
entice RCA Connector 1M - Cha Grey	CB91201TG00	englaze USB Connector M Grey	CB92401TM00
entice HDMI Connector 1M - Cha Grey	CB91301TG00	englaze VGA Connector M Grey	CB92501TM00
entice USB Connector 1M - Cha Grey	CB91401TG00	englaze Shaver socket 4M M Grey	CB92104HM10
entice VGA Connector 1M - Cha Grey	CB91501TG00	englaze Volume controller 2M M Grey	CB92702HM00
entice Volume Controller 2M-Cha Grey	CB91702HG00	englaze Bell indicator with Reset 1M M Grey	CB92801HM00
entice Bell ind. with Reset 1M-Cha Grey	CB91801HG00	englaze Call bell station with ind 2M M Grey	CB92902HM00
englaze 6A/16A 3pin combi Socket with ISI 3M	CB92303CW16	englaze Movement Sensor 1M M Grey	CB92701AM00
englaze Dimmer 1000 W 2M	CB92102DW10	englaze Curtain Control Switch 2M 10A - M Grey	CB92502AM10
englaze Twin RJ 11, with shutters 1M	CB92201TW11	englaze Dimmer 1000 W M Grey	CB92102DM10
englaze RCA connector 1M	CB92201TW00	ORIS Digital Ding Dong Door Bell	OB31W00
englaze HDMI connector 1M	CB92301TW00	ORIS Mantras Door Bell	OB32W00
englaze USB Connector 1M	CB92401TW00	ORIS English Melody Door Bell	OB33W00



WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches, sockets and accessories** carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors, enconnect wifi switches, touch switches etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Tripper, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing defects for a period of 18* months from the date of purchase.
- Extended Warranty of 5 years on **Lauritz Knudsen E&A MCBs** and Isolators if mounted inside **Lauritz Knudsen E&A Distribution Boards**.
- **Note:** We are committed to maintaining our product warranty in line with our standard terms for both the Lauritz Knudsen brand and the L&T Switchgear brand.
The change in brand will not alter our standard warranty terms or any applicable extended warranty terms.
Furthermore, we will ensure that spares and after-sales support remain available throughout the entire product life cycle, regardless of whether the products are under the L&T Switchgear brand or the Lauritz Knudsen Brand

*Proof of purchase to be retained to avail warranty.

Electrical Standard Products (ESP) Offices:

HEAD OFFICE

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Fax: 022-67051112 | e-mail: CIC@LK-EA.com

BRANCH OFFICES

Lauritz Knudsen Electrical & Automation
C-201, The First Commercial Complex,
B/S Keshavbaug Party Plot, Vastrapur,
Ahmedabad - 380015
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Ground Floor, B-27, Biplab Rashbihari Sarani,
Sector 2A, Bidhan Nagar,
Durgapur - 713212
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Business Communication Centre
2nd Floor, Chiramel Chambers,
Kurisupally Road, Ravipuram,
Kochi - 682 015
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A-25, 1st Floor, Imperia Complex,
Mohan Corporative Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road, **New Delhi - 110044**
Phone no: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Wework Central, #36 Infantry Road,
Bengaluru - 560 001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
6th Floor, Exotica Greens, A Block, 191,
R G Baruah Road, Guwahati Central,
Guwahati - 781005
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, BN3, Salt Lake, Sector-V,
Kolkata - 700091
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workloop Unit-612, 6th Floor,
Esplanade One, Rasulgurh,
Bhubaneswar, Odisha-751010
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Shri Daneshwari, 1st Floor,
Plot No. 17, 2nd Cross, Near Old Income
Tax Office Road, Vidyanagar,
Hubballi - 580021
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
No.10, Fortuna Towers, 2nd Floor,
Rana Pratap Marg, Near NBRI
Lucknow - 226001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
UrbanWrk, 5th Floor, Sai Radhe,
Raja Bahadur Mill Road, Behind Hotel
Grand Sheraton, Sangamwadi
Pune - 411001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
4th Floor, SCO-54, 55, 56, Sector-17A
Chandigarh - 160017
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
AWFIS Space Solutions, Prestige Phoenix,
4th floor, 1405, Umanagar, Begumpet,
Hyderabad - 500016
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
El Dorado Building, 3rd Floor, 6,
Venkatraman Street, Chinna Chokkikulam
Madurai - 625 002
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 211 & 212, Pithalia Plaza,
KK Road, Near Fafadih Chowk,
Raipur - 492001, Chhattisgarh,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation,
The Executive Centre Level 8, Olympia Teknos
Park, 28, SIDCO Industrial Estate, Guindy,
Chennai - 600 032, Tamil Nadu,
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workie, 214 - 2nd Floor,
Apollo Premier, PU-4, Scheme No. 54,
Vijay Nagar Square, **Indore - 452010**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
TC II, Tower B, PRIMA BAY Gate No. 5,
Saki Vihar Road Powai,
Mumbai - 400072
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
10th Floor, Titaanium Business,
Bhimrad Road, Althan
Surat - 395017
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Playworkz Coworking Space
43 & 44, 3rd Cross, Bharathy Colony,
Peelamedu, **Coimbatore - 641004**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 430, 4th Floor,
Jaipur Electronic Market, Riddhi Siddhi,
Gopalpura Bypass, **Jaipur - 302018**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Unnati Building, 2nd Floor, Automation Campus,
A-600, TTC Industrial Area Shil-Mahape Road,
Mahape, **Navi Mumbai - 400710**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
11th Floor, Block-D, Notus IT Park,
Sarabhai Campus, Bhailal Amin Marg,
Vadodara - 390023
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Opp. Anandam,
Near Ballapur chowk, **Dehradun - 248001**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
GDR Siddha, Ground Floor, N Road
Bistupur, Opposite St. Mary's Church,
Jamshedpur - 831001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
M1 & M2, Mezzanine Floor,
Himalaya Excellency, Plot No. C-47,
Pratap Nagar Square, **Nagpur - 440022**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Naga Chambers, 3rd Floor, D/No. 12-1-16,
Plot No. 49, Survey No. 1051, Waltair Main Road,
Visakhapatnam - 530002, Andhra Pradesh,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here.
Product photographs shown for representative purpose only.

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Web: www.LK-EA.com

Customer Interaction Center (CIC)
Phone no: 022 6932 7800
Web: www.LK-EA.com | e-mail: CIC@LK-EA.com

Reach Us On:



e-commerce
website



Facebook



Instagram



LinkedIn



Website



Electrical & Automation